

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	47	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up)) and ((proxy directory listing ldap "x.500") adj server)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:39
L2	16	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not L1	US-PGPUB; USPAT	OR	ON	2006/03/03 15:39
L3	8	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:43
L4	8	((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:44

EAST Search History

L5	0	(((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not (L1 L2 I3)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:44
L6	84	(((NAT middlebox middle-box) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and ((private adj3 network) realm) and ((call session) near3 (setup set-up initia\$6)) not (L1 L2 I3)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	5	((middle-box middlebox (middle adj box)) near3 (identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101"	US-PGPUB; USPAT	OR	ON	2006/03/02 09:16
S10	0	((middle-box middlebox (middle adj box)) near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" not S9	US-PGPUB; USPAT	OR	ON	2006/03/02 09:17
S11	842	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101"	US-PGPUB; USPAT	OR	ON	2006/03/02 09:32
S12	389	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network)	US-PGPUB; USPAT	OR	ON	2006/03/02 09:33
S13	75	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up))	US-PGPUB; USPAT	OR	ON	2006/03/02 09:34
S14	47	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (setup set-up)) and ((proxy directory listing ldap "x.500") adj server)	US-PGPUB; USPAT	OR	ON	2006/03/03 15:38

EAST Search History

S15	31	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server)	US-PGPUB; USPAT	OR	ON	2006/03/02 09:40
S16	16	(NAT near3 (translat\$5 proxy identity identif\$5 recogni\$5 address port control\$5 manager\$5 discover\$5 sens\$5 search\$5 locat\$5 find\$5)) and @ad<"20011101" and (private adj3 network) and ((call session) adj3 (initia\$6)) and ((proxy directory listing ldap "x.500") adj server) not S14	US-PGPUB; USPAT	OR	ON	2006/03/02 09:40